


BRIGHTEN YOUR DREAM WORLD

- O NIGHT LAMPS
- O JUMBO BULBS
- O COB DOWNLIGHTS
- O FLOOD LIGHTS
- O STRIKER
- O LOW & HIGH WATTAGE BULBS O EMERGENCY BULBS
- O BATTENS
- O EDGE LIT PANEL LIGHTS
- O STREET LIGHTS
- O SPOTLIGHTS
- O BACKLIT PANEL LIGHTS
- O WALL MOUNTED STREET LIGHTS
- O HIGH WATTAGE BULBS
- O DOWNLIGHTS
- O SURFACE PANEL LIGHTS
- O DEEP JUNCTION LIGHTS

Company



Ajanta®

Company profile

AJANTA INDIA LIMITED BEGAN ITS INITIAL STEP TOWARDS SUCCESS IN THE YEAR 1971 WITH THE MANUFACTURE OF WALL CLOCKS. IN THE YEAR 2006, IT FORAYED INTO CFL LIGHTING PRODUCTS AND IN 2009 INTO LED LIGHTING HAS SINCE CONSTANTLY BEEN IN THE FOREFRONT OF ADAPTING TO PROMISING NOVEL TECHNOLOGIES UNDER THE FLAGSHIP BRAND OF AJANTA QUARTZ. THE COMPANY HAS GROWN BY LEAPS AND BOUNDS UNDER THE CAPABLE LEADERSHIP OF MR. ASHOK O PATEL AND CONTINUES TO BE A GLOBAL LEADER IN THE LED PRODUCT MARKET

AJANTA HAS PRUDENTLY INVESTED IN THE RESEARCH & DEVELOPMENT OF INNOVATIVE PRODUCTS, THE OUTCOME OF WHICH IS THE EXCEEDINGLY SOPHISTICATED LED RANGE OF PRODUCTS THAT SERVE BOTH INTERNAL AS WELL AS EXTERNAL APPLICATIONS. AJANTA HAS BEEN ABLE TO ACHIEVE TECHNICAL EXCELLENCE IN ITS PRODUCTS THROUGH INNOVATION, RESEARCH, HIRING OF EXPERT & EXPERIENCED MANPOWER AND IMPROVISATIONS IN ITS APPLIED SKILLS. OUR LED LIGHTING PRODUCT COMBINES ENERGY EFFICIENCY AND RELIABILITY WITH LONGEVITY.

IT IS OUR PASSION AND COMMITMENT TOWARDS NOVELTY THAT HELPS US TO COME OUT WITH BETTER PIONEERING PRODUCTS THAT DELIGHT OUR CUSTOMERS. OVER THE YEARS, **AJANTA** HAS BEEN SYNONYMOUS WITH EMINENCE AND WE CONTINUE WITH OUR MISSION TO PROVIDE THE BEST AT ALL TIMES THAT IS A RESULT OF THE CONFLUENCE OF OUR FIRM WORK AND ASSURANCE. OUR ENTHUSIASM AND FORTITUDE HAVE STRENGTHENED OUR RESOLVE TO OFFER LED PRODUCTS TO OUR CUSTOMERS THAT ARE TOP-NOTCH AND AT THE SAME TIME REASONABLY PRICED.

AJANTA REMAINS COMMITTED TO ITS MISSION OF PROVIDING HIGH-QUALITY, AFFORDABLE LED SOLUTIONS ACROSS HOMES AND WORKPLACES THAT WILL NOT ONLY IMPROVE ITS SERVICES BUT ALSO ACHIEVE INCLUSIVE CUSTOMER SATISFACTION. AJANTA'S SUCCESS STORY IS WOVEN BY INDIVIDUAL EMPLOYEES WHO HAVE CONTRIBUTED IMMENSELY AND HELPED US MAKE POSITIVE CONTRIBUTIONS TO THE SOCIETY THROUGH OUR BUSINESS.

AJANTA HAS BEEN ABLE TO DELIVER A ROBUST GROWTH IN BOTH DOMESTIC AS WELL AS INTERNATIONAL MARKETS WITH ITS REACH TO THE AFRICAN CONTINENT THROUGH STRATEGIC EXPORT ALLIANCES. OUR VISION IS TO SET UNCOMPROMISING QUALITY STANDARDS IN ALL OUR PRODUCTS THEREBY GAINING A RESPECTABLE NAME IN THE LED INDUSTRY ALL OVER THE WORLD.



COLOR	WHITE	WARM WHITE	RED	GREEN	BLUE	PINK	ORANGE	YELLOW		
INPUT POWER		0.5W								
INPUT-OUTPUT VOLTAGE				220V-240 ¹	/ AC, 50HZ					
BEAM ANGLE				27	00					
OPERATING TEMPERATURE		-10º TO 50º C								
BASE		B22								

Applications : • Office • Homes • Restaurants
Features : • Eco Friendly • Very Low Heating

LED PRODUCT CATALOGUE 2022

Ajanta®



INPUT POWER	3W	5W	7W	9W	10W	12W	14W	18W	23W	27W
LUMENS	315	525	735	945	1050	1260	1470	1890	2415	2835
COLOR TEMPERATURE					6500K	/3000K				
INPUT-OUTPUT VOLTAGE					220V-240	V AC, 50HZ				
CRI		≥80								
BEAM ANGLE					≥18	100				
OPERATING TEMPERATURE					-10º T() 50º C				
BASE		B22/E27								
POWER FACTOR		>0.9								
TYPE OF DRIVER	IC BASED, NON-ISOLATED									

Applications : • Office • Homes • Restaurants • Galleries • Marts

Features : • Eco Friendly • Very Low Heating • Wide Operating Voltage • Mercury Free





ODUCI S	PECIF	ICAII			
INPUT POWER	9W	12W			
DC LUMENS	900	1200			
DC LUMENS	400	500			
COLOR TEMPERATURE	6500K /	3000K			
INPUT-OUTPUT VOLTAGE	220V~240\	/ AC, 50HZ			
CRI	≥80				
BEAM ANGLE	12 0 º				
OPERATING TEMPERATURE	-10º C T	0 50º C			
BASE	B22/	E27			
POWER FACTOR	>0	.9			
BATTERY	2200 MAH 2200 MAH				
BATTERY BACKUP	UPTO 4 HRS				
TYPE OF DRIVER	IC BASED, NON-ISOLATED				

Applications : • Office • Homes • Showrooms
Features : • Eco Friendly • Long Life
• Uniform Light
• More Brightness





PRODUCT NAME	JUMBO							
INPUT POWER	36W	36W 45W 55W						
LUMENS	3600	4500	5500					
COLOR TEMPERATURE		6500K/3000K						
INPUT-OUTPUT VOLTAGE		220V~240V AC, 50HZ						
CRI		≥80						
BEAM ANGLE		120º						
OPERATING TEMPERATURE		-10º C TO 50º C						
BASE	B22/E27							
POWER FACTOR	≥0.9							
TYPE OF DRIVER		IC BASED, NON-ISOLATED						

Applications: • Office • Homes • Showrooms
Features: • Eco Friendly • Long Life
• Uniform Light
• More Brightness





INPUT POWER	5W	10W	20W	25W			
LUMENS	500	1000	2000	2500			
SIZE (L)	1 FEET	2 FEET	4 FEET	4 FEET			
COLOR TEMPERATURE		6500K/3000K					
INPUT-OUTPUT VOLTAGE	220-240V-50HZ						
CRI	≥80						
BEAM ANGLE		120°					
OPERATING TEMPERATURE		(-)10° C TO 45° C					
POWER FACTOR	>0.9						
HOUSING	PLASTIC						
TYPE OF DRIVER		IC BASED, NON-ISOLAT	TED .				

Applications: • Office • Homes • Showrooms
Features: • Eco Friendly • Long Life
• Uniform Light
• More Brightness





INPUT POWER	2W								
LUMENS			140 (CDL)					
COLOR	WHITE	WARM WHITE	RED	GREEN	BLUE	PINK			
INPUT-OUTPUT VOLTAGE			220~240	AC, 50HZ					
CRI			≥8	30					
BEAM ANGLE		60°							
OPERATING TEMPERATURE			-10º TO	1 40° C					
POWER FACTOR			>0.	50					
HOUSING			THERMO	PLASTIC					
DIFFUSER/GLASS	PC LENS								
CUT OUT	32MM								
TYPE OF DRIVER			IC BASED, NO	ON-ISOLATED					

Applications: Bedrooms Living Rooms Jewellery Shop
Decoration and Indoors
Features: Very Low Heating Eco Friendly Mercury Free





INPUT POWER	5W					7W						
LUMENS	400 (CDL)						560	(CDL)				
COLOR	WHITE	WARM WHITE	RED	GREEN	BLUE	PINK	WHITE	WARM WHITE	RED	GREEN	BLUE	PINK
INPUT-OUTUPUT VOLTAGE						220W~240	V AC, 50H	<u> </u>				
CRI						≥{	30					
BEAM ANGLE						12	0°					
OPERATING TEMPERATURE		-10° TO 50° C										
CUT OUT	90 MM											
TYPE OF DRIVER					10	BASED, N	ON-ISOLAT	[ED				

Applications: • Malls • Homes • Showrooms • Hotels • Hopsital • Office • Retail Store • School • Indoor Lighting • Factories

Features: • Eco Friendly • Very Low Heating • Long Life • Mercury Free






INPUT POWER	3W	6W				
LUMENS	300	600				
COLOR TEMPERATURE	6000K-	~6500K				
CRI	≥.	70				
BEAM ANGLE	3	60				
INPUT-OUTPUT VOLTAGE	220-240V AC, 50HZ					
OPERATING TEMPERATURE	-10º C T	TO 50° C				
HOUSING	ALUMINIUM	DIE CASTING				
POWER FACTOR	>0.9					
CUT OUT	65MM 75MM					
TYPE OF DRIVER	IC BASED, NON-ISOLATED					

Applications : • Showroom • Restaurants • Office • Hotel

House
 Better Heat Dissipation • Angle Changeable
 Mercury Free





INPUT POWER	6W	12W		
LUMENS	420	960		
COLOR TEMPERATURE	6500K / 400	OOK / 3000K		
INPUT-OUTPUT VOLTAGE	220~240\	/ AC, 50HZ		
CRI	≥80			
BEAM ANGLE	12	00		
OPERATING TEMPERATURE	-10º C T	O 45º C		
SHAPE	ROUND/SQUARE			
CUT OUT SIZE	115 MM 155 MM			
TYPE OF DRIVER	IC BASED, NON-ISOLATED			

Applications: • Malls • Homes • Showrooms • Hotels • Hospital
• Office • Retail Store

Features: • Eco Friendly
• Very Low Heating
• Uniform Light

LED PROD





INPUT POWER	9W	15W		
LUMENS	900	1500		
COLOR TEMPERATURE	6500K / 400	OOK / 3000K		
INPUT-OUTPUT VOLTAGE	220~240\	/ AC, 50HZ		
CRI	≥80			
BEAM ANGLE	12	00		
OPERATING TEMPERATURE	-10º C T	O 50º C		
SHAPE	ROUND/SQUARE			
CUT OUT SIZE	100MM 150MM			
TYPE OF DRIVER	IC BASED, NON-ISOLATED			

Applications: • Malls • Homes • Showrooms • Hotels • Hospital
• Office • Retail Store

Features: • Eco Friendly
• Very Low Heating
• Uniform Light






INPUT POWER		W8					15W					
LUMENS		720					1350					
COLOR	WHITE	WARM WHITE	RED	GREEN	BLUE	PINK	WHITE	WARM WHITE	RED	GREEN	BLUE	PINK
INPUT-OUTPUT VOLTAGE						220W~2	240V, 50HZ					
CRI						≥{	≥80					
BEAM ANGLE						12	0°					
OPERATING TEMPERATURE						-10º C T	O 50º C					
POWER FACTOR		> 0.95										
TYPE OF DRIVER		·				IC BASED, N	ON-ISOLATED	·				

- Applications: Meeting Rooms Hotels Offices Homes Shops
 Features: Ultra Slim Construction Smooth Light Distribution
 Lifelong Brightness Easy of Installation and
 Maintenance Flicker Free Performance
 - Diffused Illumination






INPUT POWER	3W 9W					
LUMENS	240 720					
COLOR	WHITE, WARM WHITE, F	RED, GREEN, BLUE, PINK				
INPUT OUTPUT VOLTAGE	220~240\	/ AC, 50HZ				
COLOR TEMPERATURE	650	OOK				
CRI	≥80					
BEAM ANGLE	12	00				
OPERATING TEMPERATURE	-10°C 1	O 50°C				
POWER FACTOR	>0.	95				
HOUSING	PLASTIC					
CUTOUT	48MM 48MM					
TYPE OF DRIVER	IC BASED, NON-ISOLATED					

Applications: • Meeting Rooms • Hotels • Offices • Homes • Shops
Features: • Ultra Slim Construction • Smooth Light Distribution
• Lifelong Brightness • Easy of Installation and
Maintenance • Flicker Free Performance
• Diffused Illumination





INPUT POWER	3W		
LUMENS	150 (CDL)		
INPUT OUTPUT VOLTAGE	220~240~50HZ		
COLOR	WHITE, WARM WHITE, RED, GREEN, BLUE, PINK		
CRI	≥80		
BEAM ANGLE	120°		
OPERATING TEMPERATURE	-10°C TO 50°C		
POWER FACTOR	>0.95		
HOUSING	PLASTIC		

- Applications: Meeting Rooms Hotels Offices Homes Shops
 Features: Ultra Slim Construction Smooth Light Distribution
 Lifelong Brightness Easy of Installation and
 Maintenance Flicker Free Performance
 Diffused Illumination





INPUT POWER	30W	50W	100W	150W	200W
LUMENS	3000	5000	10000	15000	20000
COLOR TEMPERATURE			6500K		
INPUT-OUTPUT VOLTAGE			220-240V AC, 50H	!	
CRI	≥80				
BEAM ANGLE	120°				
OPERATING TEMPERATURE	-10º TO 50º C				
FINISH	POWDER COATING				
HOUSING	ALUMINIUM DIE GAST				
INGRESS PROTECTION	UP TO IP 66				
LED DRIVER	CONSTANT CURRENT				
POWER FACTOR	MORE THAN 0.90				

LED PRODUCT CATALOGUE 2022

Applications: • Malls • Showrooms • Outdoor Lighting
• Display Boards • Stadiums
Features: • Energy Saving • Low Power Consuming





INPUT POWER	20W	25W	40W	60W	80W	100W	150W	200W
LUMENS	2000	2500	4000	6000	8000	10000	15000	20000
COLOR TEMPERATURE				65	DOK			
INPUT-OUTPUT VOLTAGE				220~240\	/ AC, 50HZ			
CRI		≥80						
BEAM ANGLE	120°							
OPERATING TEMPERATURE		-10° C TO 50° C						
FINISH		POWDER COATING						
HOUSING	ALUMINIUM DIE CAST							
INGRESS PROTECTION	UP TO IP 65							
LED DRIVER	CONSTANT CURRENT							
POWER FACTOR	MORE THAN 0.90							

Applications: • Street Lighting • Park Lighting • Campus Lighting
Features: • More Illuminating Compared to Regular Lighting
• Wide Spread of Light to Cover Maximum Area








- AJANTA INDIA PRIVATE LIMITED
 AJANTA INDUSTRIAL ESTATE,
 OPP. REVA PARK,
 RAJKOT MORBI HIGHWAY,
 MORBI 363 641
 (GUJARAT) INDIA
- Customer Care +91 98254-33333
- Toll Free 1800-233-8100
- www.ajantaquartz.com




FANS, HOME APPLIANCES & ELECTRICALS

CATALOGUE 2023



















FEATURES



High Speed 380 RPMFor Higher Air Delivery



Double Ball BearingFor Silent And Smooth Operation



Ribbed Blades
Smartly Designed for Wide Air Speed



100% Copper WindingFor Long Life And Durability



Rust Proof Body
Aluminum Body For Rust Proof
Longer Life







ECO AIR - 50 DECO

AVAILABLE COLOURS:

WHITE

IVORY

BROWN

PLAIN OPTION AVAILABLE

Technical Specification

Size	RPM	Air Delivery
1200 MM	380	210











FEATURES



High Speed 380 RPMFor Higher Air Delivery



Double Ball Bearing
For Silent And Smooth Operation



Ribbed Blades
Smartly Designed for Wide Air Speed



100% Copper WindingFor Long Life And Durability



Rust Proof Body
Aluminum Body For Rust Proof
Longer Life







ECO AIR - 40

AVAILABLE COLOURS:

WHITE

IVORY

BROWN

Technical Specification

Size	RPM	Air Delivery
900 MM	430	130











FEATURES



High Speed 430 RPM For Higher Air Delivery



Double Ball BearingFor Silent And Smooth Operation



Ribbed Blades
Smartly Designed for Wide Air Speed



100% Copper WindingFor Long Life And Durability



Rust Proof Body
Aluminum Body For Rust Proof
Longer Life







ECO AIR

AVAILABLE COLOURS:

WHITE

IVORY

BROWN

Technical Specification

Size	RPM	Air Delivery
600 MM	860	100









FEATURES



High Speed 860 RPM For Higher Air Delivery



Double Ball BearingFor Silent And Smooth Operation



Ribbed Blades
Smartly Designed for Wide Air Speed



100% Copper WindingFor Long Life And Durability



Rust Proof Body
Aluminum Body For Rust Proof
Longer Life



FARATA FAN



HURRICANE 500 (20 INCHES)













- High Speed 1400 RPM
- Air Delivery 145M²/min
- Heavy Duty Motor
- LVHS Low Voltage High Speed Tenchnology
- Aerodynamically Designed 3 Leaf Aluminum Blades
- 3 Speed Setting with Speed Control
- Adjustable Height Up to 200 mm
- Metal Parts Anti Corrosive Powder Coating & Chrome Plating

EXHAUST FAN



VENTOPRO



SIZE	225MM	300MM	
AIR DELIVERY	1050CMM	1700CMM	
RPM	2450	1400	



Noiseless Operation



Rust Proof Body



Higher Air Flow



100% Copper Winding



Higher Durability

- 100% Copper Winding
- Noiseless Operation
- High Speed

- Higher Durability
- Rust Proof Body

EXHAUST FAN



VENTMAX



SIZE	150MM	200MM	250MM
AIR DELIVERY	250CMM	450CMM	900CMM
RPM	1300	1300	1200



Noiseless Operation



100% Copper Winding



Higher Air Flow



Auto Shutter



Higher Durability



Rust Proof Body

- 100% Copper Winding
- Noiseless Operation
- Auto Shutter

- High Durability
- Made from 100% Virgin Plastic Body



WATER HEATER



QUIK HOT INSTANT WATER HEATER

3L



SAFETY FEATURES



Dry Heating Protection



Capillary Thermostat



Multi-Function Valve



Weather Proofing IPX2



Capillary Type Cut-Out KVA Element




3 KVA

- Stainless Steel 304 L Tank
- 6 Bar Pressure
- Heavy Duty 3 KVA 1 Kg Copper **Heating Element for Instant Heating**
- Thermostat & Thermal Cut Out
- Power And Heating Indicator
- Pressure Release Valve For Safe Operation
- Sleek & Stylish Looks
- 100% Virgin ABS Plastic Body

IMMERSION



WATER HEATER













- Pure Copper Element
- Pure Copper Supply Cord
- Shock Proof Handle
- With Epoxy Coating
- Instant Water Heating
- Stylish New Design
- Easy Grip Handle

Ajanta® QUARTZ

Embrace the Warmth: Your Cozy Haven Awaits!

Room Heater







HEAT CONVECTOR (HC-912T)



- Two Heat Settings: 1000W/2000W.
- Cool Touch Handle For Easy Use.
- Adjustable Thermostat For Desired Temperature.
- Night Light Indicator.
- Double Safety Protection By Thermostat & Thermal Cutout.
- Elegant Design And Strong Metal Body.



HALOGEN HEATER (HH-300)



- Wide Angle Oscillation Function.
- Thermal Cut-out.
- Safety Tip-over Switch Cut Off for Protection.
- 3 Heat Settings: 400W/800W/1200W.
- Superior Design And Finish.



QUARTZ HEATER (QH-138)



- Provides Instant Heating
- Elegant Design
- Easy To Carry Handle
- 2 Heat Settings: 400/800 Watts
- Safety Tip Over Switch for Protection
- High Quality Quartz Tubes Designed For Low Power Consumption



FAN HEATER (FH-367)



- Temprature Control by Knob
- 2 Heat Settings: 1000/2000 Watts
- Thermostat & Thermal Cut-Out
- Vertical / Horizontal Standing Mode
- Easy to Carry Handle
- Mesh Grill For Safety
- Works Also As A Fan



SMALL APPLIANCES

- Irons
- Extension boards
- Kettles
- Mixer Grinders

Making Everyday Chores a Breeze!





QUIKHOT ELECTRIC KETTLE (AEK-150)

1.5 L





RAPID BOILING



COOL-TOUCH STAINLESS



LARGE HANDLE





AUTOMATIC DETACHABLE

- Rapid Boiling: Boils water quickly.
- Cool-Touch Handle: Safe and comfortable handling.
- Stainless Steel: Stylish, durable, and long-lasting.
- Large Handle: Comfortable grip and pouring.
- Safety Features: Automatic cut off for protection.
- Detachable Lid: Easy refilling and cleaning.
- 360-Degree Swivel Base: Allows easy handling from any angle.

DRY IRON





ULTIMA

DRY IRON

FEATURES

- Thermal Fuse
 - Protects from overheating
- Thermostat Regulates optimum and constant temperature
- Multiple Temperature Level
 - Gives convenience to use different temperature as per cloth type
- American Heritage
 Double Coating
- Heavy Body Design
- Heavy Weighing Body
- 1000 Watts for Instant Heating



AEROSLIDE

DRY IRON

- Thermal Fuse
 - Protects from overheating
- Thermostat Regulates optimum and constant temperature
- Multiple Temperature Level
 - Gives convenience to use different temperature as per cloth type
- German Double Coating
 For increased strength and durability and non stickiness to clothes
- Smart Design Stylish new body with better grip and handling
- 1000 Watts for Instant Heating

DRY IRON





EAZYGLIDE

DRY IRON

FEATURES

- Thermal Fuse
 - Protects from overheating
- Thermostat Regulates optimum and constant temperature
- Multiple Temperature Level
 - Gives convenience to use different temperature as per cloth type
- German Coating For increased strength and durability and non stickiness to clothes
- Smart Design Stylish new body with better grip and handling
- 750 Watts for Instant Heating



DELUXE

DRY IRON

- Thermal Fuse
 - Protects from overheating
- Thermostat Regulates optimum and constant temperature
- Multiple Temperature Level
 - Gives convenience to use different temperature as per cloth type
- German Coating better made Quality Coated Sole Plate
- 1000 Watts for Instant Heating

MIXER GRINDER



MIXMAXX



- Copper Winding Motor
- Sharp Edge Blades
- Durable Coupler
- Stainless Steel Jars

- 100% Virgin ABS Plastic Body
- Overload Protection

MIXER GRINDER



EAZYMIX









- Copper Winding Motor
- Sharp Edge Blades
- Durable Coupler
- Stainless Steel Jars

- 100% Virgin ABS Plastic Body
- Overload Protection

EXTENSION BOARD



AEB-115 & AEB-140

4 WAY EXTENSION BOARD











- 4-Universal Socket Specially Designed to Accommodate Plugs of Different Design & Types
- Heavy-duty Brass Parts Contact with Hard Spring for Long Life.
- Heavy Duty Cable as per Bis Standard for High Current Carrying Capacity & Enhanced Safety.
- Energy Saving Due to Special Contact Design & Low Contact Resistance
- Overload & Short Circuit Protection with Replaceable Fuse.
- Equipped with Surge & Spike Protection
- Cable Length Suitable for Convenience of Connection.
- Firm Grip Sockets as per Bis Standard for Enhanced Safety.
- Ergonomic Design with Appealing Aesthetics.

EXTENSION BOARD



ARE - 050

3 WAY EXTENSION REEL









- 3-Universal Socket Specially Designed to Accommodate Plugs of Different Design & Types
- Heavy Duty with Hard Spring for Long Life.
- Heavy Duty Cable for High Current Carrying Capacity
 & Enhanced Safety.
- Energy Saving Due to Special Contact Design & Low Contact Resistance.
- Adjustable Cable Length as per Convenience of Connect up to 5MTR.

- Fasy Grip for Rotating The Reel
- Firm Grip Sockets as per Bis Standard for Enhanced Safety.
- On/OFF Switch.
- LED Power Indicator.
- Ergonomic Design with Appealing Aesthetics.



AJANTA INDIA LIMITED

Ajanta Industrial Estate, Opp. Rewa Park, Morbi - 363 641, INDIA.

Web: www.ajantaquartz.com Email: sales@ajantaquartz.com

Customer Care: +91 98254 33333 | Toll Free: 1800 233 8100 😥 +91 98252 32000

Product image and specifications are subject to change without any prior notice.