



FANS, HOME APPLIANCES & ELECTRICALS

CATALOGUE 2023



















FEATURES



High Speed 380 RPMFor Higher Air Delivery



Double Ball BearingFor Silent And Smooth Operation



Ribbed Blades
Smartly Designed for Wide Air Speed



100% Copper WindingFor Long Life And Durability



Rust Proof Body
Aluminum Body For Rust Proof
Longer Life







ECO AIR - 50 DECO

AVAILABLE COLOURS:

WHITE

IVORY

BROWN

PLAIN OPTION AVAILABLE

Technical Specification

Size	RPM	Air Delivery
1200 MM	380	210











FEATURES



High Speed 380 RPMFor Higher Air Delivery



Double Ball Bearing
For Silent And Smooth Operation



Ribbed Blades
Smartly Designed for Wide Air Speed



100% Copper WindingFor Long Life And Durability



Rust Proof Body
Aluminum Body For Rust Proof
Longer Life







ECO AIR - 40

AVAILABLE COLOURS:

WHITE

IVORY

BROWN

Technical Specification

Size	RPM	Air Delivery
900 MM	430	130











FEATURES



High Speed 430 RPM For Higher Air Delivery



Double Ball BearingFor Silent And Smooth Operation



Ribbed Blades
Smartly Designed for Wide Air Speed



100% Copper WindingFor Long Life And Durability



Rust Proof Body
Aluminum Body For Rust Proof
Longer Life







ECO AIR

AVAILABLE COLOURS:

WHITE

IVORY

BROWN

Technical Specification

Size	RPM	Air Delivery
600 MM	860	100









FEATURES



High Speed 860 RPM For Higher Air Delivery



Double Ball BearingFor Silent And Smooth Operation



Ribbed Blades
Smartly Designed for Wide Air Speed



100% Copper WindingFor Long Life And Durability



Rust Proof Body
Aluminum Body For Rust Proof
Longer Life



FARATA FAN



HURRICANE 500 (20 INCHES)













- High Speed 1400 RPM
- Air Delivery 145M²/min
- Heavy Duty Motor
- LVHS Low Voltage High Speed Tenchnology
- Aerodynamically Designed 3 Leaf Aluminum Blades
- 3 Speed Setting with Speed Control
- Adjustable Height Up to 200 mm
- Metal Parts Anti Corrosive Powder Coating & Chrome Plating

EXHAUST FAN



VENTOPRO



SIZE	225MM	300MM	
AIR DELIVERY	1050CMM	1700CMM	
RPM	2450	1400	



Noiseless Operation



Rust Proof Body



Higher Air Flow



100% Copper Winding



Higher Durability

- 100% Copper Winding
- Noiseless Operation
- High Speed

- Higher Durability
- Rust Proof Body

EXHAUST FAN



VENTMAX



SIZE	150MM	200MM	250MM
AIR DELIVERY	250CMM	450CMM	900CMM
RPM	1300	1300	1200



Noiseless Operation



100% Copper Winding



Higher Air Flow



Auto Shutter



Higher Durability



Rust Proof Body

- 100% Copper Winding
- Noiseless Operation
- Auto Shutter

- High Durability
- Made from 100% Virgin Plastic Body



WATER HEATER



QUIK HOT INSTANT WATER HEATER

3L



SAFETY FEATURES



Dry Heating Protection



Capillary Thermostat



Multi-Function Valve



Weather Proofing IPX2



Capillary Type Cut-Out KVA Element




3 KVA

- Stainless Steel 304 L Tank
- 6 Bar Pressure
- Heavy Duty 3 KVA 1 Kg Copper **Heating Element for Instant Heating**
- Thermostat & Thermal Cut Out
- Power And Heating Indicator
- Pressure Release Valve For Safe Operation
- Sleek & Stylish Looks
- 100% Virgin ABS Plastic Body

IMMERSION



WATER HEATER













- Pure Copper Element
- Pure Copper Supply Cord
- Shock Proof Handle
- With Epoxy Coating
- Instant Water Heating
- Stylish New Design
- Easy Grip Handle

Ajanta® QUARTZ

Embrace the Warmth: Your Cozy Haven Awaits!

Room Heater







HEAT CONVECTOR (HC-912T)



- Two Heat Settings: 1000W/2000W.
- Cool Touch Handle For Easy Use.
- Adjustable Thermostat For Desired Temperature.
- Night Light Indicator.
- Double Safety Protection By Thermostat & Thermal Cutout.
- Elegant Design And Strong Metal Body.



HALOGEN HEATER (HH-300)



- Wide Angle Oscillation Function.
- Thermal Cut-out.
- Safety Tip-over Switch Cut Off for Protection.
- 3 Heat Settings: 400W/800W/1200W.
- Superior Design And Finish.



QUARTZ HEATER (QH-138)



- Provides Instant Heating
- Elegant Design
- Easy To Carry Handle
- 2 Heat Settings: 400/800 Watts
- Safety Tip Over Switch for Protection
- High Quality Quartz Tubes Designed For Low Power Consumption



FAN HEATER (FH-367)



- Temprature Control by Knob
- 2 Heat Settings: 1000/2000 Watts
- Thermostat & Thermal Cut-Out
- Vertical / Horizontal Standing Mode
- Easy to Carry Handle
- Mesh Grill For Safety
- Works Also As A Fan



SMALL APPLIANCES

- Irons
- Extension boards
- Kettles
- Mixer Grinders

Making Everyday Chores a Breeze!





QUIKHOT ELECTRIC KETTLE (AEK-150)

1.5 L





RAPID BOILING



COOL-TOUCH STAINLESS



LARGE HANDLE





AUTOMATIC DETACHABLE

- Rapid Boiling: Boils water quickly.
- Cool-Touch Handle: Safe and comfortable handling.
- Stainless Steel: Stylish, durable, and long-lasting.
- Large Handle: Comfortable grip and pouring.
- Safety Features: Automatic cut off for protection.
- Detachable Lid: Easy refilling and cleaning.
- 360-Degree Swivel Base: Allows easy handling from any angle.

DRY IRON





ULTIMA

DRY IRON

FEATURES

- Thermal Fuse
 - Protects from overheating
- Thermostat Regulates optimum and constant temperature
- Multiple Temperature Level
 - Gives convenience to use different temperature as per cloth type
- American Heritage
 Double Coating
- Heavy Body Design
- Heavy Weighing Body
- 1000 Watts for Instant Heating



AEROSLIDE

DRY IRON

- Thermal Fuse
 - Protects from overheating
- Thermostat Regulates optimum and constant temperature
- Multiple Temperature Level
 - Gives convenience to use different temperature as per cloth type
- German Double Coating
 For increased strength and durability and non stickiness to clothes
- Smart Design Stylish new body with better grip and handling
- 1000 Watts for Instant Heating

DRY IRON





EAZYGLIDE

DRY IRON

FEATURES

- Thermal Fuse
 - Protects from overheating
- Thermostat Regulates optimum and constant temperature
- Multiple Temperature Level
 - Gives convenience to use different temperature as per cloth type
- German Coating For increased strength and durability and non stickiness to clothes
- Smart Design Stylish new body with better grip and handling
- 750 Watts for Instant Heating



DELUXE

DRY IRON

- Thermal Fuse
 - Protects from overheating
- Thermostat Regulates optimum and constant temperature
- Multiple Temperature Level
 - Gives convenience to use different temperature as per cloth type
- German Coating better made Quality Coated Sole Plate
- 1000 Watts for Instant Heating

MIXER GRINDER



MIXMAXX



- Copper Winding Motor
- Sharp Edge Blades
- Durable Coupler
- Stainless Steel Jars

- 100% Virgin ABS Plastic Body
- Overload Protection

MIXER GRINDER



EAZYMIX









- Copper Winding Motor
- Sharp Edge Blades
- Durable Coupler
- Stainless Steel Jars

- 100% Virgin ABS Plastic Body
- Overload Protection

EXTENSION BOARD



AEB-115 & AEB-140

4 WAY EXTENSION BOARD











- 4-Universal Socket Specially Designed to Accommodate Plugs of Different Design & Types
- Heavy-duty Brass Parts Contact with Hard Spring for Long Life.
- Heavy Duty Cable as per Bis Standard for High Current Carrying Capacity & Enhanced Safety.
- Energy Saving Due to Special Contact Design & Low Contact Resistance
- Overload & Short Circuit Protection with Replaceable Fuse.
- Equipped with Surge & Spike Protection
- Cable Length Suitable for Convenience of Connection.
- Firm Grip Sockets as per Bis Standard for Enhanced Safety.
- Ergonomic Design with Appealing Aesthetics.

EXTENSION BOARD



ARE - 050

3 WAY EXTENSION REEL









- 3-Universal Socket Specially Designed to Accommodate Plugs of Different Design & Types
- Heavy Duty with Hard Spring for Long Life.
- Heavy Duty Cable for High Current Carrying Capacity & Enhanced Safety.
- Energy Saving Due to Special Contact Design & Low Contact Resistance.
- Adjustable Cable Length as per Convenience of Connect up to 5MTR.

- Fasy Grip for Rotating The Reel
- Firm Grip Sockets as per Bis Standard for Enhanced Safety.
- On/OFF Switch.
- LED Power Indicator.
- Ergonomic Design with Appealing Aesthetics.



AJANTA INDIA LIMITED

Ajanta Industrial Estate, Opp. Rewa Park, Morbi - 363 641, INDIA.

Web: www.ajantaquartz.com Email: sales@ajantaquartz.com

Customer Care: +91 98254 33333 | Toll Free: 1800 233 8100 😥 +91 98252 32000

Product image and specifications are subject to change without any prior notice.